

With high demand and peaked production capacity, HimaC recommend placing your order now to avoid delay come pre-seeding



SEE IN ACTION  
[himac.com.au/TRP](http://himac.com.au/TRP)

# All Aussie-Made Picker






## Telehandler / Wheel Loader Rock Picker

Make rock removal as easy as possible with the innovative and powerful **Rock Picker** from HimaC. Manufactured in Australia, the high torque motor and rotating collector ensure swift rock picking in a fraction of the time.

From **\$25,455** +GST

**1800 888 114** to secure yours

## Top Features

-  Bi-directional collector arm
-  For 100-550 mm diam rocks
-  Bisalloy catchment retainer
-  Shock absorption springs
-  Up to 2350 kg load capacity



Protective rear spill guard with high visibility mesh



High torque hydraulic motor and pressure relief valve



Bisalloy catchment retainer to secure rocks



High tensile tynes with 10 mm Bisalloy wear tips

Attachments inc Tele hitch or Wheel Loader inline quick hitch - Other options POA

Prices shown EX GST - Valid until 28 / 02 / 22



**Hard Work Made Easy**

**1800 888 114** [himac.com.au](http://himac.com.au)





# Rock Removal Made Easy



SEE IN ACTION  
[himac.com.au/SRP](http://himac.com.au/SRP)


## Why buy a Himac Rock Picker?




High torque hydraulic motor  
 & pressure relief valve



Bi-directional  
 collector arm



Bisalloy  
 catchment retainer



Pick 100-550 mm  
 diameter rocks



High tensile /  
 Bisalloy tynes



## Skid Steer Rock Picker

Standard Duty

- › Suits Skid Steers up to 140 HP
- › 70 mm tyne spacings
- › Up to 1000 kg load capacity

0.60 m<sup>3</sup>

**\$15,593**

+GST

0.75 m<sup>3</sup>

**\$16,957**

+GST



## Ag Loader Rock Picker

Standard Duty

- › Suits Ag Loaders up to 140 HP
- › 70 mm tyne spacings
- › Up to 1000 kg load capacity

0.60 m<sup>3</sup>

**\$15,258**

+GST

0.75 m<sup>3</sup>

**\$16,616**

+GST



Contact Himac 1800 888 114 [himac.com.au](http://himac.com.au)



› Hard Work Made Easy



# You've Got the Power

Rake, sift, lift, grab, pull and shift! All **Power Rakes** and **Power Grapples** are manufactured right here in Australia from high-grade steel and solid bar tynees to tackle the harshest of Aussie conditions.



## For Wheel Loaders

- › 63 x 63 mm solid bar tynees
- › 115 mm spacings allow fast sifting
- › Powerful 20 mm thick grapple arms and 80 NB horizontal bars
- › Max opening up to 1570 mm

**Power Grapple** from \$20,034 +GST

**Power Rake** from \$15,769 +GST



## For Telehandlers

- › 50 x 50 mm solid bar tynees
- › Efficient sifting with 115 mm spacings
- › Strength-focused singular grapple for extreme duty applications
- › Max opening up to 1570 mm

**Power Grapple** from \$13,881 +GST

**Power Rake** from \$7,631 +GST



## For Ag Loaders

- › 40 x 40 mm solid bar tynees
- › Generous tyne spacings - 115 mm
- › Dual independent grapple arms to handle uneven loads
- › Singular arm grapple also available

**Power Grapple** from \$8,279 +GST

**Power Rake** from \$4,196 +GST



# Push it up a Level

## Stick / Push Rake



- › Perfect for clearing land, fence lines, debris and other vegetation
- › High grade steel tynes, up to 1400 mm high
- › Rear tyne stabilisers and side wings
- › Optional mesh guard and hook-on dozer blade (Skid Steer and Ag Loader models only)

Skid Steer

From  
**\$2,858**

+GST

Ag Loader

From  
**\$2,886**

+GST

Telehandler

From  
**\$7,220**

+GST

Wheel Loader

From  
**\$8,036**

+GST



Unique  
'L-shape'  
tyne design

Solid round bar  
reinforced front

## Lift Rake

Skid Steer | Ag Loader | Telehandler | Wheel Loader

- › Push away vegetation, clear fence lines, remove debris and more
- › Lift logs, clean-up after the job, and transport small / medium vegetation

From **\$4,571** +GST



High grade  
Bisalloy  
450 tynes

Cat J-Series teeth

## Claw Grapple

Skid Steer | Ag Loader | Telehandler | Wheel Loader

- › Unique curved shape and serrated edges provide serious grip for a range of loads
- › Up to 1470 mm grapple opening
- › Fitted teeth cut through hard ground and roots

From **\$8,252** +GST